Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1455719	controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:16
L2	74541	(graphic\$3 near2 user near2 interface) or gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:16
L3	3253	(determin\$5 or detect\$5 or measur\$5 or monitor\$5 or calculat\$5 or inspect\$5) near5 (characteristic) near7 ((dut or (device near2 under near2 test)) or (optic\$2 near2 fiber) or waveguide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:16
L4	26	L3 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:16
L5	15	L4 and L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:16
L6	1843866	laser or emitter or led or (light near2 source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17
L7	2305430	\$5detector or \$5sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17
L8	1455719	controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17
L9	2635235	(graphic\$3 near2 user near2 interface) or monitor or display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17

L10	1851190	memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17
L11	3253	(determin\$5 or detect\$5 or measur\$5 or monitor\$5 or calculat\$5 or inspect\$5) near5 (characteristic) near7 ((dut or (device near2 under near2 test)) or (optic\$2 near2 fiber) or waveguide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17
L12	121	L6 and L7 and L8 and L9 and L10 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17
L13	3	L12 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:17
L14	1544	(determin\$5 or detect\$5 or measur\$5 or monitor\$5 or calculat\$5 or inspect\$5) near5 (sensiti\$5) near7 ((dut or (device near2 under near2 test)) or (optic\$2 near2 fiber) or waveguide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:18
L15	15	L14 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:18
L16	15119	dut or (device near2 under near2 test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:19
L17	1843866	laser or emitter or led or (light near2 source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:19
L18	2305430	\$5detector or \$5sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:19

L19	2635235	(graphic\$3 near2 user near2 interface) or monitor or display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:19
L20	441	L16 and L17 and L18 and L1 and L19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:19
L21	4615	(356/73.1,300,301,302,303,304, 305,306,307,308,309,310).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:19
L22	8306	(250/237G,237G,573,574,575,576, 577,343,344,345,346,227.11,227. 12,227.13,227.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:19
L23	12791	L21 or L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:19
L24	19	L23 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:19
L25	2	(((graphic\$3 near2 user near2 interface) or gui) and sensitivity and controller and memory and (dut or (device near2 under near2 test))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:20
L26	16	(("6614735") or ("6847788") or ("6115157") or ("6590644") or ("5761216") or ("6137830") or ("6456608") or ("5969840")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:21
L27	0	26 and 11 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:22

L28	1	26 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:23
L29	0	26 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:35
L30	4	26 and 1 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:36

6/19/06 3:49:56 PM
C:\Documents and Settings\TNguyen24\My Documents\EAST\Workspaces\10613299.wsp